



AFRL-AFOSR-VA-TR-2016-0347

**NSSEFF - COMPUTATIONAL AND THEORETICAL DESIGN OF PHOTO- AND MECHANO-RESPONSIVE
MOLECULAR DEVICES**

Todd Martinez
LELAND STANFORD JUNIOR UNIV CA

09/06/2016
Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory
AF Office Of Scientific Research (AFOSR)/ RTA1
Arlington, Virginia 22203
Air Force Materiel Command

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Executive Services, Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.</p>					
1. REPORT DATE (DD-MM-YYYY) 10-11-2016		2. REPORT TYPE Final Performance		3. DATES COVERED (From - To) 01 May 2010 to 30 Apr 2016	
4. TITLE AND SUBTITLE NSSEFF - COMPUTATIONAL AND THEORETICAL DESIGN OF PHOTO- AND MECHANO-RESPONSIVE MOLECULAR DEVICES				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER FA9550-10-1-0193	
				5c. PROGRAM ELEMENT NUMBER 61102F	
6. AUTHOR(S) Todd Martinez				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) LELAND STANFORD JUNIOR UNIV CA 450 SERRA MALL STANFORD, CA 94305-2004 US				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AF Office of Scientific Research 875 N. Randolph St. Room 3112 Arlington, VA 22203				10. SPONSOR/MONITOR'S ACRONYM(S) AFRL/AFOSR RTA1	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) AFRL-AFOSR-VA-TR-2016-0347	
12. DISTRIBUTION/AVAILABILITY STATEMENT A DISTRIBUTION UNLIMITED: PB Public Release					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT <p>This project developed GPU-based methods for electronic structure and ab initio molecular dynamics. We extended such approaches to include density functional theory, transition metal containing systems, large proteins, multireference wavefunction techniques, excited electronic states, and continuum solvation methods. During this project, we also discovered the tensor hypercontraction formalism which leads to orders of magnitude improvement in the performance of wavefunction-based electronic structure methods. We introduced the idea of interactive ab initio molecular dynamics and demonstrated a proof of concept. We also introduced the ab initio nanoreactor, which harnesses the GPU-based developments in electronic structure theory and ab initio molecular dynamics to perform discovery of new chemical reactions.</p>					
15. SUBJECT TERMS PHOTOACTIVE PROTEINS, MOLECULAR SYSTEMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON LAWAL, RAHEEM
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (Include area code) 703-696-7313

Standard Form 298 (Rev. 8/98)
Prescribed by ANSI Std. Z39.18

DISTRIBUTION A: Distribution approved for public release.

Final NSSEFF Report

Grant Title: NSSEFF - COMPUTATIONAL AND THEORETICAL DESIGN OF PHOTO- AND MECHANO-RESPONSIVE MOLECULAR DEVICES

Principal Investigator: Todd J. Martínez, Stanford University

Grant #: FA9550-10-1-0193

Reporting Period: 5/1/10-4/30/16

Overview of project: The original goal of this project was to develop GPU-based approaches to electronic structure and ab initio molecular dynamics and to apply these to problems in mechanochemistry and photochemistry. The promise of the graphics processing unit (GPU) in quantum chemistry and ab initio molecular dynamics has been largely realized and as a consequence of this NSSEFF-funded research, it has now become routine to simulate molecules with hundreds of atoms for time scales of over 100 picoseconds from first principles (using only a single desktop machine in days). These simulations include all electrons treated quantum mechanically, and therefore can treat bond rearrangement, electron/proton transfer, and electronic excitation without constraints or foreknowledge. This new capability is revolutionizing molecular simulation and we have used it to study molecular behavior after photon excitation and/or under mechanical force. Below, we detail some of the advances in GPU-based first-principles molecular simulation achieved in this project. However, we also stress that there were three new areas which were incubated by this grant – advances which could not be anticipated when the grant was awarded, but which are themselves revolutionary. These are 1) the development of tensor hypercontraction which exploits ideas from recommendation systems (as used by Netflix and Amazon) to decrease the scaling of wavefunction methods, 2) the introduction of interactive ab initio molecular dynamics, where virtual reality interfaces are combined with quantum chemistry and first principles dynamics, and 3) the development of the *ab initio* nanoreactor which *discovers* new chemical reactions from first principles simulation.

Summary Outcomes: This NSSEFF project resulted in 34 peer-reviewed publications. It has supported 13 postdoctoral scholars/staff scientists and 8 graduate students. The PI has given more than 50 invited talks describing the NSSEFF-funded research in the US, Europe and Asia, including numerous plenary addresses.

GPU Acceleration of Electronic Structure and Ab Initio Molecular Dynamics: The main proposed goal of this project was to transform first principles simulation capabilities by leveraging GPUs. We redesigned algorithms for stream processors and made significant inroads compared to our first preliminary implementation. It is now possible to carry out calculations including *d* angular momentum basis functions¹ and effective core potentials² (opening up the possibility of treating organometallic complexes), continuum solvation³ (enabling calculations that include both explicit and implicit solvent), multireference wavefunction methods⁴⁻⁶ (enabling the calculation of dynamics involving diradical and other open shell species), excited electronic states,^{4,7-9} and multiple levels of precision¹⁰ (making consumer grade GPUs a viable option). We also introduced a method to exploit low cost methods and use them to increase the size of the time steps that can be used in

AIMD¹¹ and a method to increase the accuracy of electronic structure methods with small basis sets.¹² We demonstrated the new groundbreaking capabilities through application to numerous “firsts:” the first ab initio molecular dynamics of proteins,¹³ large scale ab initio optimization to gauge accuracy in structure prediction/refinement,¹⁴ ab initio calculations of electronic excitation energies and absorption spectra in proteins,⁸ and ab initio dynamics including nonadiabatic surface crossing effects for a molecule with more than 50 atoms.¹⁵ Using these tools, we were able to carry out numerous studies on excited state reactivity,¹⁶⁻¹⁸ enzyme reactions,¹⁹ and mechanochemistry of polymers.²⁰ We also exploited the ability to generate large amounts of electronic structure information to parameterize a new empirical potential for water.²¹

Tensor Hypercontraction: A key stumbling block in electronic structure theory (and therefore also in ab initio molecular dynamics) has been the steep scaling of wavefunction based methods for describing electron correlation. It is largely because of the perceived “scaling wall” that density functional theory has become so successful. DFT scales formally as $O(N^4)$, where N is the size of the molecule (or more accurately the number of basis functions used to describe the electronic density). The scaling of DFT is thus the same as Hartree-Fock (HF) theory, but DFT includes the electron correlation effects that HF ignores. Unfortunately, the exchange-correlation functional in DFT remains unknown and current approximations have numerous problems and deficiencies that have proven difficult to resolve. Wavefunction methods that include electron correlation scale as $O(N^5)$ or even worse – for example, CCSD(T) which is often called the “gold standard” for thermochemistry scales as $O(N^7)$. ***During the NSSEFF project, we discovered that it is possible to formulate wavefunction methods such as Moller-Plesset perturbation theory and coupled cluster such that their formal scaling is $O(N^4)$ – the same as DFT!*** This discovery was based on our investigation into recommendation systems used by Netflix and Amazon to determine what products should be suggested to consumers. The core idea in these recommendation systems is that one imagines a large matrix with consumers as rows and products as columns. Then one asks for an algorithm that can “complete” this matrix on the basis of several observations. This is of course impossible in general. However, it would be possible if the matrix in question contained very little information (for example, if consumers fell into groups where all members of the same group wanted the same products). Such information-deficient matrices are technically called “low-rank,” and the recommendation system algorithms exploit this structure. We discovered how to apply this idea to high-dimensional tensors and then how to use this for the two electron repulsion integrals. We then discovered that the same idea could also be used for the electronic wavefunction. Effectively, we discovered that there are massive redundancies in *both* the quantum mechanical operators and wavefunctions that are encountered in most molecules. Recognizing this hidden structure and revealing it allows one to decrease the computational effort by up to two *powers* of the molecular size. A number of papers demonstrate the idea and show that it is quantitatively accurate and faster than conventional approaches already for small molecules (the accuracy and efficiency increase as larger molecules are treated).²²⁻³¹ We also implemented the method on GPUs for further acceleration³¹ and applied it to electronic excitation energies with equation-of-motion coupled cluster (EOM-CC2).²⁶ Tensor hypercontraction has breathed

new life into wavefunction methods and is currently being pursued by numerous other groups as well as our own.

Interactive Ab Initio Molecular Dynamics: As our efforts to accelerate ab initio molecular dynamics on GPUs became more successful, we began asking ourselves what we might be able to do that was *qualitatively* different from “business as usual” in computational chemistry. Sure, larger molecules can now be simulated for longer time scales and this is bound to change the landscape considerably as the scope of problems that are amenable to computation is enlarged. But are there modes of use that were simply unthinkable before? Thinking about this led us to two ideas – interactive AIMD and the nanoreactor (see following paragraph). **The main idea in interactive AIMD is to allow the user to interact with an AIMD simulation in real time, i.e. as the simulation progresses.** We were successful in this venture, using a haptic input device with force feedback.³² The user grabs an atom with the haptic device and then the haptic device resists the user according to the internal forces computed by AIMD. Bonds can be broken because the underlying simulation solves the electronic Schrodinger equation at each time step. When the user tries to break a strong bond, more force is required, compared to breaking a weak bond. This new technology allows users to experience chemistry in full three dimensions and with tactile response. We are exploring the use of this capability for both research and education.

The ab initio Nanoreactor: The second idea which arose from thinking about how to use GPU-accelerated AIMD in a disruptive manner was the “ab initio nanoreactor.” We thought that it might be possible to begin using AIMD as a means to discover new reactions. The first attempts at this simply ran molecular dynamics at high temperatures with the molecules confined to remain within a sphere. We observed that reactions could be seen to progress on a time scale which was easily attained (tens of picoseconds, which consumed less than a day of real time on a desktop computer). This led us to realize that we could accelerate reactions in numerous ways, including not only high temperatures but also pulsing pressure (with a spherical piston). Once we discovered reactions in this way, we realized that the reactions could then be studied with traditional hypothesis-driven approaches – finding minimum energy paths and reaction barriers. This new tool³³⁻³⁴ is a way to discover what reactions are possible and then these can be refined (possibly at a more accurate level of theory if desired), obtaining rates which can then be placed in a kinetic model (sometimes called a set of master equations). **This represents a major new direction in theoretical chemistry, which can now begin to unravel the mechanisms involved in complex reaction networks. Unlike traditional approaches, the nanoreactor is a *discovery* tool.** We are currently exploring the use of this and related strategies to discover new synthetic routes, to expose the mechanisms of combustion reactions, and to discover new catalysts for fundamental chemical reactions.

Summary: We accomplished many of the goals originally proposed for the NSSEFF project. Primarily, we exploited GPUs in ab initio molecular dynamics in a way that continues to transform the field. At the same time, we would like to emphasize the new directions that could not have been foreseen at the time the original proposal was written. Thanks to the flexibility of the NSSEFF funding, we were able to pursue these directions that have proven

to be transformative. We developed the tensor hypercontraction formalism that has resurrected wavefunction theories and may supplant DFT. We introduced a new technology for interactive ab initio molecular dynamics, which has now received funding through the STTR program and could be the beginning of a new effort to develop molecular computer-aided design (MolCAD) and perhaps ultimately also molecular computer-aided-manufacturing. We also introduced the ab initio nanoreactor which has attracted the attention of at least four major companies so far and is being developed in new directions. We are confident that the nanoreactor strategy will change our perception of the role of theory and computation in chemistry – from the traditional hypothesis-driven approach to one emphasizing discovery of chemical pathways and reactions.

References

1. A.V. Titov, I.S. Ufimtsev, N. Luehr and T.J. Martinez, "Generating Efficient Quantum Chemistry Codes for Novel Architectures," *J. Chem. Theo. Comp.* **9**, 213 (2013).
2. C. Song, L.-P. Wang and T.J. Martinez, "Automated Code Engine for Graphical Processing Units: Application to the Effective Core Potential Integrals and Gradients," *J. Chem. Theo. Comp.* **12**, 92 (2016).
3. F. Liu, N. Luehr, H.J. Kulik and T.J. Martinez, "Quantum Chemistry for Solvated Molecules on Graphical Processing Units Using Polarizable Continuum Models," *J. Chem. Theo. Comp.* **11**, 3131 (2015).
4. E.G. Hohenstein, M.E.F. Bouduban, C. Song, N. Luehr, I.S. Ufimtsev and T.J. Martinez, "Analytic First Derivatives of Floating Occupation Molecular Orbital-Complete Active Space Configuration Interaction on Graphical Processing Units," *J. Chem. Phys.* **143**, 014111 (2015).
5. E.G. Hohenstein, N. Luehr, I.S. Ufimtsev and T.J. Martinez, "An Atomic Orbital-Based Formulation of the Complete Active Space Self-Consistent Field Method on Graphical Processing Units," *J. Chem. Phys.* **142**, 224103 (2015).
6. J.W. Snyder, E.G. Hohenstein, N. Luehr and T.J. Martinez, "An Atomic Orbital-Based Formulation of Analytic Gradients and Nonadiaabtic Coupling Vectors Elements for the State-Averaged Complete Active Space Self-Consistent Field Method on Graphical Processing Units," *J. Chem. Phys.* **143**, 154107 (2015).
7. C.M. Isborn, N. Luehr, I.S. Ufimtsev and T.J. Martinez, "Excited-State Electronic Structure with Configuration Interaction Singles and Tamm-Dancoff Time-Dependent Density Functional Theory on Graphical Processing Units," *J. Chem. Theo. Comp.* **7**, 1814 (2011).
8. C.M. Isborn, A.W. Gotz, M.A. Clark, R.C. Walker and T.J. Martinez, "Electronic Absorption Spectra from MM and ab initio QM/MM Molecular Dynamics: Environmental Effects on the Absorption Spectrum of Photoactive Yellow Protein," *J. Chem. Theo. Comp.* **8**, 5092 (2012).
9. A. Sisto, D.R. Glowacki and T.J. Martinez, "Ab Initio Nonadiaabtic Dynamics of Multichromophore Complexes: A Scalable Graphical-Processing-Unit-Accelerated Exciton Framework," *Acc. Chem. Res.* **47**, 2857 (2014).
10. N. Luehr, I.S. Ufimtsev and T.J. Martinez, "Dynamic Precision for Electron Repulsion Integral Evaluation on Graphical Processing Units (GPUs)," *J. Chem. Theo. Comp.* **7**, 949 (2011).
11. N. Luehr, T.E. Markland and T.J. Martinez, "Multiple Time Step Integrators in Ab Initio Molecular Dynamics," *J. Chem. Phys.* **140**, 084116 (2014).
12. H.J. Kulik, N. Seelam, B.D. Mar and T.J. Martinez, "Adapting DFT+U for the Chemically Motivated Correction of Minimal Basis Set Incompleteness," *J. Phys. Chem. A* **120**, 5939 (2016).
13. I.S. Ufimtsev, N. Luehr and T.J. Martinez, "Charge Transfer and Polarization in Solvated Proteins from Ab Initio Molecular Dynamics," *J. Phys. Chem. Lett.* **2**, 1789 (2011).
14. H.J. Kulik, N. Luehr, I.S. Ufimtsev and T.J. Martinez, "Ab Initio Quantum Chemistry for Protein Structures," *J. Phys. Chem. B* **116**, 12501 (2012).
15. J.W. Snyder, B.F.E. Curchod and T.J. Martinez, "GPU-Accelerated State-Averaged Complete Active Space Self-Consistent Field Interfaced with Ab Initio Multiple Spawning Unravels the Photodynamics of Provitamin D3," *J. Phys. Chem. Lett.* **7**, 2444 (2016).

16. C. Punwong, T.J. Martinez and S. Hannongbua, "Direct QM/MM Simulation of Photoexcitation Dynamics in Bacteriorhodopsin and Halorhodopsin," *Chem. Phys. Lett.* **610-611**, 213 (2014).
17. C. Punwong, J. Owens and T.J. Martinez, "Direct QM/MM Excited-State Dynamics of Retinal Protonated Schiff Base in Isolation and Methanol Solution," *J. Phys. Chem. B* **119**, 704 (2014).
18. C.M. Isborn, B.D. Mar, B.F.E. Curchod, I. Tavernelli and T.J. Martinez, "The Charge Transfer Problem in Density Functional Theory Calculations of Aqueously Solvated Molecules," *J. Phys. Chem. B* **117**, 12189 (2013).
19. J. Zhang, H.J. Kulik, T.J. Martinez and J.P. Klinman, "Mediation of Donor-Acceptor Distance in an Enzymatic Methyl Transfer Reaction," *Proc. Natl. Acad. Sci.* **112**, 7954 (2015).
20. C.E. Diesendruck, G.I. Peterson, H.J. Kulik, J.A. Kaitz, B.D. Mar, P.A. May, S.R. White, T.J. Martinez, A.J. Boydston and J.S. Moore, "Mechanically-triggered Heterolytic Unzipping of a Low Ceiling Temperature Polymer," *Nature Chem.* **6**, 623 (2014).
21. L.-P. Wang, T. Head-Gordon, J.W. Ponder, P. Ren, J.D. Chodera, P.K. Eastman, T.J. Martinez and V.S. Pande, "Systematic Improvement of a Classical Molecular Model of Water," *J. Phys. Chem. B* **117**, 9956 (2013).
22. E.G. Hohenstein, R.M. Parrish and T.J. Martinez, "Tensor Hypercontraction Density Fitting. I. Quartic Scaling Second- and Third-Order Moller-Plesset Perturbation Theory," *J. Chem. Phys.* **137**, 044103 (2012).
23. R.M. Parrish, E.G. Hohenstein, T.J. Martinez and C.D. Sherrill, "Tensor Hypercontraction. II. Least-squares Renormalization," *J. Chem. Phys.* **137**, 224106 (2012).
24. E.G. Hohenstein, R.M. Parrish, C.D. Sherrill and T.J. Martinez, "Communication: Tensor Hypercontraction. III. Least-squares Tensor Hypercontraction for the Determination of Correlated Wavefunctions," *J. Chem. Phys.* **137**, 221101 (2012).
25. E.G. Hohenstein, S.I.L. Kokkila, R.M. Parrish and T.J. Martinez, "Quartic Scaling Second-Order Approximate Coupled Cluster Singles and Doubles via Tensor Hypercontraction: THC-CC2," *J. Chem. Phys.* **138**, 124111 (2013).
26. E.G. Hohenstein, S.I.L. Kokkila, R.M. Parrish and T.J. Martinez, "Tensor Hypercontraction Equation of Motion Second Order Approximate Coupled Cluster: Electronic Excitation Energies in $O(N^4)$ Time," *J. Phys. Chem. B* **117**, 12972 (2013).
27. R.M. Parrish, E.G. Hohenstein, T.J. Martinez and C.D. Sherrill, "Discrete Variable Representation in Electronic Structure Theory: Quadrature Grids for Least-Squares Tensor Hypercontraction," *J. Chem. Phys.* **138**, 194107 (2013).
28. R.M. Parrish, C.D. Sherrill, E.G. Hohenstein, S.I.L. Kokkila and T.J. Martinez, "Communication: Acceleration of Coupled Cluster Singles and Doubles via Orbital-Weighted Least-Squares Tensor Hypercontraction," *J. Chem. Phys.* **140**, 181102 (2014).
29. R.M. Parrish, E.G. Hohenstein, N.F. Schunck, C.D. Sherrill and T.J. Martinez, "Exact Tensor Hypercontraction: A Universal Technique for the Resolution of Matrix Elements of Local Finite-Range N-Body Potentials in Many-Body Quantum Problems," *Phys. Rev. Lett.* **111**, 132505 (2013).
30. S.I.L. Kokkila Schumacher, E.G. Hohenstein, R.M. Parrish, L.-P. Wang and T.J. Martinez, "Tensor Hypercontraction Second Order Moller-Plesset Perturbation Theory: Grid Optimization and Reaction Energies," *J. Chem. Theo. Comp.* **11**, 3042 (2015).

31. C. Song and T.J. Martinez, "Atomic Orbital-Based SOS-MP2 with Tensor Hypercontraction. I. GPU-Based Tensor Construction and Exploiting Sparsity," *J. Chem. Phys.* **144**, 174111 (2016).
32. N. Luehr, A.G.B. Jin and T.J. Martinez, "Ab Initio Interactive Molecular Dynamics on Graphical Processing Units (GPUs)," *J. Chem. Theo. Comp.* **11**, 4536 (2015).
33. L.-P. Wang, R.T. McGibbon, V.S. Pande and T.J. Martinez, "Automated Discovery and Refinement of Reactive Molecular Dynamics Pathways," *J. Chem. Theo. Comp.* **12**, 638 (2016).
34. L.-P. Wang, A. Titov, R. McGibbon, F. Liu, V.S. Pande and T.J. Martinez, "Discovering Chemistry with an Ab Initio Nanoreactor," *Nature Chem.* **6**, 1044 (2014).

AFOSR Deliverables Submission Survey

Response ID:6807 Data

1.

Report Type

Final Report

Primary Contact Email

Contact email if there is a problem with the report.

toddjmartinez@gmail.com

Primary Contact Phone Number

Contact phone number if there is a problem with the report

650-417-4612

Organization / Institution name

Stanford University

Grant/Contract Title

The full title of the funded effort.

Computational and Theoretical Design of Photo- and Mechano-Responsive Molecular Devices

Grant/Contract Number

AFOSR assigned control number. It must begin with "FA9550" or "F49620" or "FA2386".

FA9550-10-1-0193

Principal Investigator Name

The full name of the principal investigator on the grant or contract.

Todd Joseph Martinez

Program Officer

The AFOSR Program Officer currently assigned to the award

Evelyn Dohme

Reporting Period Start Date

05/01/2010

Reporting Period End Date

04/30/2016

Abstract

This project developed GPU-based methods for electronic structure and ab initio molecular dynamics. We extended such approaches to include density functional theory, transition metal containing systems, large proteins, multireference wavefunction techniques, excited electronic states, and continuum solvation methods. During this project, we also discovered the tensor hypercontraction formalism which leads to orders of magnitude improvement in the performance of wavefunction-based electronic structure methods. We introduced the idea of interactive ab initio molecular dynamics and demonstrated a proof of concept. We also introduced the ab initio nanoreactor, which harnesses the GPU-based developments in electronic structure theory and ab initio molecular dynamics to perform discovery of new chemical reactions.

Distribution Statement

This is block 12 on the SF298 form.

Distribution A - Approved for Public Release

Explanation for Distribution Statement

If this is not approved for public release, please provide a short explanation. E.g., contains proprietary information.

DISTRIBUTION A: Distribution approved for public release.

SF298 Form

Please attach your [SF298](#) form. A blank SF298 can be found [here](#). Please do not password protect or secure the PDF. The maximum file size for an SF298 is 50MB.

[sf0298.pdf](#)

Upload the Report Document. File must be a PDF. Please do not password protect or secure the PDF. The maximum file size for the Report Document is 50MB.

[FinalNSSEFFReport.pdf](#)

Upload a Report Document, if any. The maximum file size for the Report Document is 50MB.

Archival Publications (published) during reporting period:

1. A.V. Titov, I.S. Ufimtsev, N. Luehr and T.J. Martinez, "Generating Efficient Quantum Chemistry Codes for Novel Architectures," J. Chem. Theo. Comp. 9, 213 (2013).
2. C. Song, L.-P. Wang and T.J. Martinez, "Automated Code Engine for Graphical Processing Units: Application to the Effective Core Potential Integrals and Gradients," J. Chem. Theo. Comp. 12, 92 (2016).
3. F. Liu, N. Luehr, H.J. Kulik and T.J. Martinez, "Quantum Chemistry for Solvated Molecules on Graphical Processing Units Using Polarizable Continuum Models," J. Chem. Theo. Comp. 11, 3131 (2015).
4. E.G. Hohenstein, M.E.F. Bouduban, C. Song, N. Luehr, I.S. Ufimtsev and T.J. Martinez, "Analytic First Derivatives of Floating Occupation Molecular Orbital-Complete Active Space Configuration Interaction on Graphical Processing Units," J. Chem. Phys. 143, 014111 (2015).
5. E.G. Hohenstein, N. Luehr, I.S. Ufimtsev and T.J. Martinez, "An Atomic Orbital-Based Formulation of the Complete Active Space Self-Consistent Field Method on Graphical Processing Units," J. Chem. Phys. 142, 224103 (2015).
6. J.W. Snyder, E.G. Hohenstein, N. Luehr and T.J. Martinez, "An Atomic Orbital-Based Formulation of Analytic Gradients and Nonadiaabtic Coupling Vectors for the State-Averaged Complete Active Space Self-Consistent Field Method on Graphical Processing Units," J. Chem. Phys. 143, 154107 (2015).
7. C.M. Isborn, N. Luehr, I.S. Ufimtsev and T.J. Martinez, "Excited-State Electronic Structure with Configuration Interaction Singles and Tamm-Dancoff Time-Dependent Density Functional Theory on Graphical Processing Units," J. Chem. Theo. Comp. 7, 1814 (2011).
8. C.M. Isborn, A.W. Gotz, M.A. Clark, R.C. Walker and T.J. Martinez, "Electronic Absorption Spectra from MM and ab initio QM/MM Molecular Dynamics: Environmental Effects on the Absorption Spectrum of Photoactive Yellow Protein," J. Chem. Theo. Comp. 8, 5092 (2012).
9. A. Sisto, D.R. Glowacki and T.J. Martinez, "Ab Initio Nonadiaabtic Dynamics of Multichromophore Complexes: A Scalable Graphical-Processing-Unit-Accelerated Exciton Framework," Acc. Chem. Res. 47, 2857 (2014).
10. N. Luehr, I.S. Ufimtsev and T.J. Martinez, "Dynamic Precision for Electron Repulsion Integral Evaluation on Graphical Processing Units (GPUs)," J. Chem. Theo. Comp. 7, 949 (2011).
11. N. Luehr, T.E. Markland and T.J. Martinez, "Multiple Time Step Integrators in Ab Initio Molecular Dynamics," J. Chem. Phys. 140, 084116 (2014).
12. H.J. Kulik, N. Seelam, B.D. Mar and T.J. Martinez, "Adapting DFT+U for the Chemically Motivated Correction of Minimal Basis Set Incompleteness," J. Phys. Chem. A 120, 5939 (2016).
13. I.S. Ufimtsev, N. Luehr and T.J. Martinez, "Charge Transfer and Polarization in Solvated Proteins from Ab Initio Molecular Dynamics," J. Phys. Chem. Lett. 2, 1789 (2011).
14. H.J. Kulik, N. Luehr, I.S. Ufimtsev and T.J. Martinez, "Ab Initio Quantum Chemistry for Protein Structures," J. Phys. Chem. B 116, 12501 (2012).
15. J.W. Snyder, B.F.E. Curchod and T.J. Martinez, "GPU-Accelerated State-Averaged Complete Active Space Self-Consistent Field Interfaced with Ab Initio Multiple Spawning Unravels the Photodynamics of Provitamin D3," J. Phys. Chem. Lett. 7, 2444 (2016).
16. C. Punwong, T.J. Martinez and S. Hannongbua, "Direct QM/MM Simulation of Photoexcitation Dynamics in Bacteriorhodopsin and Halorhodopsin," Chem. Phys. Lett. 610-611, 213 (2014).
17. C. Punwong, J. Owens and T.J. Martinez, "Direct QM/MM Excited-State Dynamics of Retinal Protonated Schiff Base in Isolation and Methanol Solution," J. Phys. Chem. B 119, 704 (2014).
18. C.M. Isborn, B.D. Mar, B.F.E. Curchod, I. Tavernelli and T.J. Martinez, "The Charge Transfer Problem in

- Density Functional Theory Calculations of Aqueously Solvated Molecules," J. Phys. Chem. B 117, 12189 (2013).
19. J. Zhang, H.J. Kulik, T.J. Martinez and J.P. Klinman, "Mediation of Donor-Acceptor Distance in an Enzymatic Methyl Transfer Reaction," Proc. Natl. Acad. Sci. 112, 7954 (2015).
20. C.E. Diesendruck, G.I. Peterson, H.J. Kulik, J.A. Kaitz, B.D. Mar, P.A. May, S.R. White, T.J. Martinez, A.J. Boydston and J.S. Moore, "Mechanically-triggered Heterolytic Unzipping of a Low Ceiling Temperature Polymer," Nature Chem. 6, 623 (2014).
21. L.-P. Wang, T. Head-Gordon, J.W. Ponder, P. Ren, J.D. Chodera, P.K. Eastman, T.J. Martinez and V.S. Pande, "Systematic Improvement of a Classical Molecular Model of Water," J. Phys. Chem. B 117, 9956 (2013).
22. E.G. Hohenstein, R.M. Parrish and T.J. Martinez, "Tensor Hypercontraction Density Fitting. I. Quartic Scaling Second- and Third-Order Moller-Plesset Perturbation Theory," J. Chem. Phys. 137, 044103 (2012).
23. R.M. Parrish, E.G. Hohenstein, T.J. Martinez and C.D. Sherrill, "Tensor Hypercontraction. II. Least-squares Renormalization," J. Chem. Phys. 137, 224106 (2012).
24. E.G. Hohenstein, R.M. Parrish, C.D. Sherrill and T.J. Martinez, "Communication: Tensor Hypercontraction. III. Least-squares Tensor Hypercontraction for the Determination of Correlated Wavefunctions," J. Chem. Phys. 137, 221101 (2012).
25. E.G. Hohenstein, S.I.L. Kokkila, R.M. Parrish and T.J. Martinez, "Quartic Scaling Second-Order Approximate Coupled Cluster Singles and Doubles via Tensor Hypercontraction: THC-CC2," J. Chem. Phys. 138, 124111 (2013).
26. E.G. Hohenstein, S.I.L. Kokkila, R.M. Parrish and T.J. Martinez, "Tensor Hypercontraction Equation of Motion Second Order Approximate Coupled Cluster: Electronic Excitation Energies in O(N⁴) Time," J. Phys. Chem. B 117, 12972 (2013).
27. R.M. Parrish, E.G. Hohenstein, T.J. Martinez and C.D. Sherrill, "Discrete Variable Representation in Electronic Structure Theory: Quadrature Grids for Least-Squares Tensor Hypercontraction," J. Chem. Phys. 138, 194107 (2013).
28. R.M. Parrish, C.D. Sherrill, E.G. Hohenstein, S.I.L. Kokkila and T.J. Martinez, "Communication: Acceleration of Coupled Cluster Singles and Doubles via Orbital-Weighted Least-Squares Tensor Hypercontraction," J. Chem. Phys. 140, 181102 (2014).
29. R.M. Parrish, E.G. Hohenstein, N.F. Schunck, C.D. Sherrill and T.J. Martinez, "Exact Tensor Hypercontraction: A Universal Technique for the Resolution of Matrix Elements of Local Finite-Range N-Body Potentials in Many-Body Quantum Problems," Phys. Rev. Lett. 111, 132505 (2013).
30. S.I.L. Kokkila Schumacher, E.G. Hohenstein, R.M. Parrish, L.-P. Wang and T.J. Martinez, "Tensor Hypercontraction Second Order Moller-Plesset Perturbation Theory: Grid Optimization and Reaction Energies," J. Chem. Theo. Comp. 11, 3042 (2015).
31. C. Song and T.J. Martinez, "Atomic Orbital-Based SOS-MP2 with Tensor Hypercontraction. I. GPU-Based Tensor Construction and Exploiting Sparsity," J. Chem. Phys. 144, 174111 (2016).
32. N. Luehr, A.G.B. Jin and T.J. Martinez, "Ab Initio Interactive Molecular Dynamics on Graphical Processing Units (GPUs)," J. Chem. Theo. Comp. 11, 4536 (2015).
33. L.-P. Wang, R.T. McGibbon, V.S. Pande and T.J. Martinez, "Automated Discovery and Refinement of Reactive Molecular Dynamics Pathways," J. Chem. Theo. Comp. 12, 638 (2016).
34. L.-P. Wang, A. Titov, R. McGibbon, F. Liu, V.S. Pande and T.J. Martinez, "Discovering Chemistry with an Ab Initio Nanoreactor," Nature Chem. 6, 1044 (2014).

New discoveries, inventions, or patent disclosures:

Do you have any discoveries, inventions, or patent disclosures to report for this period?

No

Please describe and include any notable dates

Do you plan to pursue a claim for personal or organizational intellectual property?

Changes in research objectives (if any):

No changes to the primary objectives, but we did pursue three new directions as specified in the report.

Change in AFOSR Program Officer, if any:

DISTRIBUTION A: Distribution approved for public release.

Extensions granted or milestones slipped, if any:

Grant was in no-cost extension for a year.

AFOSR LRIR Number**LRIR Title****Reporting Period****Laboratory Task Manager****Program Officer****Research Objectives****Technical Summary****Funding Summary by Cost Category (by FY, \$K)**

	Starting FY	FY+1	FY+2
Salary			
Equipment/Facilities			
Supplies			
Total			

Report Document**Report Document - Text Analysis****Report Document - Text Analysis****Appendix Documents****2. Thank You****E-mail user**

Sep 06, 2016 04:09:45 Success: Email Sent to: toddjmartinez@gmail.com